



**OFFICE OF THE EXECUTIVE ENGINEER,
ANGUL (R&B) DIVISION, ANGUL.**

File -SOR

Dtd.

**GOVERNMENT OF ODISHA
NOTICE INVITING QUOTATION CALL NOTICE**

BUDGETARY QUOTATION CALL NOTICE No. 05 dt.17.11.2018

In pursuance of decision to revise the Schedule of Rates - 2014, Sealed budgetary Quotation are invited from the Quarry owners/ Crusher owners/ Manufacturers / Suppliers / Dealers and other Stakeholders in their letter head as applicable and authorisation for respective items having valid GSTIN of **materials (available in the office of the Executive Engineer, Angul (R&B) Division as well as in the website of Works Department)** confirming to relevant IS specifications for inclusion in the revised Scheduled of Rates in Government of Odisha to be used in different Civil construction / infrastructure works and repair works. The interested party i.e. the bidder shall quote his price in the following format.


BASIC RATE OF MATERIALS FOR 2018 (FOR DHENKANAL UN-DIVIDED DISTRICT)

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|---------|---------------|------|--|---------------|
| | | | Rate in figures | Rate in words |
| 1 | 2 | 3 | 4 | |
| | | | | |
| | | | | |

The name of items of material and the unit for which rate to be quoted will be available in the Official website of Works Department, Government of Odisha w.e.f. **28.11.2018**.

The sealed quotations with all supporting documents complete in all respects will be **received from 10.00 AM of dt.28.11.2018 to 5.00 PM of dt.20.12.2018** in the quotation box available in the office of the Executive Engineer, Angul (R&B) Division, Angul and will be **opened on Dt.21.12.2018 at 12.30 P.M.** in presence of the quotationers or their authorized representatives who desire to be present. This quotation is invited to ascertain and assess the Rate of Materials at par with lowest market rate for revision of Schedule of Rates 2014. The quotation shall be considered only if applied in Letter Head of the firm mentioning GSTIN No failing which quotation shall be rejected.

The undersigned reserves the right to accept or reject / cancel any or all quotations without assigning any reason thereof.


Executive Engineer,
W2 Angul (R&B) Division, Angul
18/11

Memo No. 11352 Dt. 17.11.18

Copy to the Deputy Director (Advertisement) & Deputy Secretary to Government, I. & P.R. Department, Odisha, Bhubaneswar with a request to get the Notice Inviting Quotation Call Notice published in two nos. of leading Odia Daily Newspapers before **Dt.24.11.2018** for wide circulation.

Encl : 1) CD of this letter : 1 no.


17/11/18
Executive Engineer,

Angul (R&B) Division, Angul

Memo No. 11353 Dt. 17.11.18

Copy submitted to Engineer-in-Chief cum Secretary to Government, Works Department, Odisha, Bhubaneswar for favour of kind information. It is requested that the quotation call notice alongwith list of materials may please be displayed in the website of Works Department


17/11/18
Executive Engineer,

Angul (R&B) Division, Angul

Memo No. 11354 Dt. 17.11.18

Copy submitted to the Engineer-in-Chief (Civil), Odisha, Nirman Soudh, Bhubaneswar / Engineer-in-Chief, Water Resources, Bhubaneswar, Engineer-in-chief (Public Health), Odisha, Bhubaneswar for favour of information and wide circulation.


17/11/18
Executive Engineer,

Angul (R&B) Division, Angul

Memo No. 11355 Dt. 17.11.18


Copy submitted to the Chief Engineer, (DPI & Roads), Odisha / Chief Engineer, R.D.Q. & P (R&B), Odisha/ Chief Engineer, Rural Works-I / II / III, Odisha / Chief Engineer, N.Hs, Odisha / Chief Engineer, P.H. (Urban), Odisha, Bhubaneswar, / M.D, O.B. & C.C. Ltd. Bhubaneswar/Chief Engineer (Buildings)/Chief Engineer (World Bank Project)/Chief Engineer, Irrigation/Chief Engineer (Public Health)/MD, OCC Ltd./CGM, IDCO/Chief Engineer, Police Housing Corporation for favour of kind information and wide circulation.


17/11/18
Executive Engineer,

Angul (R&B) Division, Angul

Memo No. 11356 Dt. 17.11.18


Copy submitted to Superintending Engineer, Dhenkanal (R&B) Circle/ Superintending Engineer, Angul (R.W.) Circle Superintending Engineer, Angul Irrigation Circle/ Superintending Engineer, Bhubaneswar PH Circle for information and wide publicity.


17/11/18
Executive Engineer,

Angul (R&B) Division, Angul

Memo No. 11357 Dt. 17.11.18

Copy forwarded to Executive Engineers, Dhenkanal / Charbatia (R&B) Division / Executive Engineer, Angul RW Division/ Executive Engineer, Angul Irrigation Division/ Executive Engineer, Angul M.I. Division / Executive Engineer, Angul / Dhenkanal PH Division for information and wide publicity.


17/11/18
Executive Engineer,

Angul (R&B) Division, Angul

Memo No. 11358 Dt. 17.11.18

Copy to Notice Board of this office for display.


17/11/18
Executive Engineer,

Angul (R&B) Division, Angul



**OFFICE OF THE EXECUTIVE ENGINEER,
ANGUL (R&B) DIVISION, ANGUL.**

**NAME OF THE ITEMS OF MATERIALS VIDE BUDGETARY QUOTATION CALL
NOTICE NO. 05 Dt.17.11.2018.**

BASIC RATE OF MATERIALS FOR 2018 (FOR DHENKANAL UN-DIVIDED DISTRICT)

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|---------|---|----------|--|---------------|
| | | | Rate in figures | Rate in words |
| 1 | 2 | 3 | 4 | |
| 1 | Well burnt clamp burnt bricks (25 Cm. x 12Cm. x 8Cm.) having crushing strength not less than 35 Kg./Cm2 with dimensional tolerance \pm 8 percent. | 1000 Nos | | |
| 2 | Well burnt clamp burnt bricks (23 Cm. x 11Cm. x 8Cm.) having crushing strength not less than 35 Kg./Cm2 with dimensional tolerance \pm 8 percent. | 1000 Nos | | |
| 3 | K.B. bricks (25 Cm x 12Cm x 8Cm) having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance \pm 8 percent. | 1000 Nos | | |
| 4 | K.B. bricks (23 Cm. x 11Cm. x 8Cm.) having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance \pm 8 percent. | 1000 Nos | | |
| 5 | Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance \pm 2 % | 1000 Nos | | |
| 6 | Fly ash bricks of 23 Cm. x 11 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance \pm 2 % | 1000 Nos | | |
| 7 | Fly ash blocks of 30 Cm. x 20 Cm. x 15 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance \pm 2 % | Each | | |
| 8 | Cement concrete solid Block machine mixed and Hydraulic compressed having crushing strength not less than 75kg/cm2 | | | |
| a. | 400mm x 200mm x 200mm size | Each | | |
| b. | 400mm x 150mm x 200mm size | Each | | |
| c. | 400mm x 100mm x 150mm size | Each | | |
| d. | 300mm x 200mm x 150mm size | Each | | |
| e. | 300mm x 150mm x 150mm size | Each | | |
| f. | 300mm x 100mm x 150mm size | Each | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|---------|--|--------|--|--|
| 9 | Cement concrete Hollow Blocks machine mixed and Hydraulic compressed having crushing strength not less than 70kg/cm ² | | | |
| a. | 400mm x 200mm x 200mm size | Each | | |
| b. | 400mm x 150mm x 200mm size | Each | | |
| c. | 400mm x 100mm x 200mm size | Each | | |
| d. | 300mm x 200mm x 150mm size | Each | | |
| e. | 300mm x 150mm x 150mm size | Each | | |
| f. | 300mm x 100mm x 150mm size | Each | | |
| 10 | K.B. bricks Khoa 4 Cm.size | 1 Cum | | |
| 11 | Clamp burnt brick Khoa 4 cm. size. | 1 Cum | | |
| 12 | Surki of clamp burnt bricks. | 1 Cum | | |
| 13 | Surki of Kiln burnt bricks. | 1 Cum | | |
| 14 | Screen washed gravel for concrete (12mm. to 20mm.) | 1 Cum | | |
| 15 | Gravel or moorum | 1 Cum | | |
| 16 | Stone screened Dust passing through 2.36 mm sieve and retained on 0.075 mm sieve | 1 Cum | | |
| 17 | River single or Bajri (12mm. to 20mm.) | 1 Cum | | |
| 18 | Screened and washed sharp sand for mortar | 1 Cum | | |
| 19 | Sand for filling and road blinding | 1 Cum | | |
| 20 | Clay mortar for masonry work with admixture of sand. | 1 Cum | | |
| 21 | Stone lime unslaked. | 1 Kg. | | |
| 22 | Ghooting lime unslaked. | 1 Kg. | | |
| 23 | Shell lime unslaked. | 1 Kg. | | |
| 24 | a) Granite broken stone of size not less than 0.0025 Cum. Stacked | 1 Cum. | | |
| | b) Granite stone of size not less than 0.0025 Cum. picked up. | 1 Cum. | | |
| 25 | Stone other than granite quarried, broken and staked 0.0015 Cum to 0.003 Cum | 1 Cum. | | |
| 26 | Stone other than granite picked up and staked 0.0015 Cum. to 0.003 Cum | 1 Cum. | | |
| 27 | Stone other than granite quarried, broken and staked above 0.003 Cum | 1 Cum. | | |
| 28 | Stone other than granite picked up, broken and staked above 0.003 Cum | 1 Cum. | | |
| 29 | Granite Stone broken metal 63mm. size Passing through 90mm. Sieve and retained on 53 mm sieve. | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| 30 | Granite Stone broken metal 45mm. size (Passing through 53mm sieve & retained on 26.5mm sieve) | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|----------------|---|-------------|---|--|
| 31 | Granite Stone broken metal 40mm. size | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| 32 | Granite Stone broken metal 26.5mm. size (Passing through 45mm sieve & retained on 22.4mm sieve) | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| 33 | Granite Stone broken metal 25mm. size (Passing through 40mm sieve & retained on 20mm sieve) | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| 34 | Granite Stone broken metal 22.4mm. size (Passing through 26.5mm sieve & retained on 11.2mm sieve) | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| 35 | Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| 36 | Granite Stone broken chips 13.2mm. Size (Passing through 22.4mm sieve & retained on 11.2mm sieve) | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| 37 | Granite Stone broken chips 12mm. size (Minimum 65% by Wt. Passing through 13.2mm sieve & retained on 9.50mm sieve but whole should pass through 19mm sieve) | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| 38 | Granite Stone broken chips 11.2mm. size (Passing through 13.2mm sieve & retained on 5.6mm sieve) | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| 39 | Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) | | | |
| | a) Crusher broken. | 1 Cum. | | |
| | b) Hand broken. | 1 Cum. | | |
| (A) | Granite Stone broken chips 6.7mm size (Passing through 11.2mm sieve & retained on 2.8mm sieve) | 1 Cum. | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|----------------|---|-------------|---|--|
| (B) | Granite Stone screening (Passing through 2.36mm sieve & retained on 180 micron sieve) | 1 Cum. | | |
| 40 | Granite stone broken chips of 4.7 mm size passing through 6.7 mm sieve (crusher broken.) and retained on 2.36 mm sieve. | 1 Cum. | | |
| 41 | Stone other than granite broken to 5cm. size. | 1 Cum. | | |
| 42 | Stone other than granite broken to 4 cm. size. | 1 Cum. | | |
| 43 | Stone other than granite broken to 2 cm. size. | 1 Cum. | | |
| 44 | Stone other than granite broken to 1cm. size. | 1 Cum. | | |
| 45 | Stone boulder 15cm. & above size granite picked up and nullah boulders. | 1 Cum. | | |
| 46 | Soiling stone boulder 15Cm. & above size picked up nullah boulders broken. | 1 Cum. | | |
| 47 | Stone boulder 15cm. & above size other than granite or laterite picked up and nullah boulders. | 1 Cum. | | |
| 48 | Soiling stone boulder 15Cm. & above size other than granite or laterite picked up nullahboulders broken. | 1 Cum. | | |
| 49 | Soling stone boulders 10 Cm. size picked up other than granite. | 1 Cum. | | |
| 50 | Hard broken soling stone other than granite (40mm. to 90mm.) | 1 Cum. | | |
| 51 | I.R.C. Grade I (90mm-45 mm.) | 1 Cum. | | |
| 52 | I.R.C. Grade II (63mm. to 45mm.) | 1 Cum. | | |
| 53 | I.R.C. Grade III (53mm. to 22.4mm.) | 1 Cum. | | |
| 54 | Laterite soling stone 23Cm. size | 1 Cum. | | |
| 55 | Laterite Stone rough dressed | 1 Cum. | | |
| 56 | Bamboo mat or talai. | 1 Sqm. | | |
| 57 | Bamboo 1ST class 7Cm. to 10Cm. dia& above 6m. long. | Each | | |
| 58 | a) BelongiBomboo 2.51 Cm. to 4Cm. dia& above 5m. long. | Each | | |
| | b) BelongiBomboo above 4Cm. dia& up to 7Cm. dia& above 5m. long. | Each | | |
| 59 | Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long. | 1Mtr | | |
| 60 | Sal bullahs 150mm. to 200mm. mean dia up to 5.5m. long. | 1Mtr | | |
| 61 | Sal bullahs above 200mm. & up to 250mm. mean dia& up to 2.75m. long. | 1Cum. | | |
| 62 | Sal bullahs above 200mm. & up to 250mm. mean dia above 2.75m. long& up to 4.75m. long. | 1Cum. | | |
| 63 | Sal bullahs above 200mm. & up to 250mm. mean dia above 4.75m. long | 1Cum. | | |
| 64 | Sal bullahs above 250mm. & up to 380mm. mean dia& up to 2.75m. long | 1Cum. | | |
| 65 | Sal bullahs above 250mm. & up to 380mm. mean dia& above 2.75m. long up to 4.75m. long | 1Cum. | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|----------------|--|-------------|---|--|
| 66 | Sal bullahs above 250mm. & up to 380mm. mean dia & above 4.75m. long. | 1Cum. | | |
| 67 | Non-salbullahs 75mm. mean dia of any length. | 1Mtr. | | |
| 68 | Non-salbullahs 100mm. mean dia of any length. | 1Mtr. | | |
| 69 | Non-salbullahs 125mm. mean dia of any length. | 1Mtr. | | |
| 70 | Non-Sal bullahs 150mm. to 200mm. mean dia of any length. | 1Mtr. | | |
| 71 | Non-Sal bullahs above 200mm. & up to 250mm. mean dia up to 2.5m. long. | 1Cum. | | |
| 72 | Non-Sal bullahs above 200mm. & up to 250mm. mean dia above 2.5m. long. | 1Cum. | | |
| 73 | Seasoned rough dressed sawn Sal wood having minimum dimension 50mm. to 150mm. & up to 2.75m. long. | 1Cum. | | |
| 74 | Seasoned rough dressed sawn Sal wood having minimum dimension 50mm. to 150mm. & above 2.75m. long. | 1Cum. | | |
| 75 | Seasoned Sal wood beam of cross sectional area not less than 150Sq.cm. & least lateral dimension 100mm. & above 2.75m. long. | 1Cum. | | |
| 76 | Seasoned Sal wood planks not more than 75mm. thick & not less than 200mm. width. | 1Cum. | | |
| 77 | Seasoned Piasal wood planks for shutters. | 1Cum. | | |
| 78 | Seasoned Teak wood planks for shutters. | 1Cum. | | |
| 79 | Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma) | 1Cum. | | |
| 80 | Non-Sal reapers. | 1Cum. | | |
| 81 | Fire wood | 1Qntl | | |
| 82 | 1St class Raniganj or Mangalore pattern tiles. | 100 Nos. | | |
| 83 | Ridges of Raniganj or Mangalore parttern tiles. | 100 Nos. | | |
| 84 | Flat tiles(14Cm. x14 Cm.x 1Cm.) | 1000 Nos. | | |
| 85 | Flat tiles (15Cm x15Cmx 1.2 Cm) | 1000 Nos. | | |
| 86 | Flat tiles (30Cm. x 15 Cm.x 2.5 Cm.) | 1000 Nos. | | |
| 87 | Flat tiles (30Cm. x 30 Cm.x 2.5 Cm.) | 1000 Nos. | | |
| 88 | Pan tiles | 1000 Nos. | | |
| 89 | Nuriatiles(20Cm. to 25Cm.) | 1000 Nos. | | |
| 90 | Nuriatiles(25Cm. to 30Cm.) | 1000 Nos. | | |
| 91 | Ridge tiles | 1000 Nos. | | |
| 92 | Marble Tiles of minimum 16 mm thick, dunguri Variety. | | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|---------|--|---------|--|--|
| | (a) Up to 0.10 Sqm. | 1 Sqm. | | |
| | (b) Above 0.10 Sqm. to 0.40 Sqm. | 1 Sqm. | | |
| | (c) Above 0.4 Sqm. to 1.00 Sqm. | 1 Sqm. | | |
| 93 | Kota Tiles of minimum 16 mm thick | | | |
| | (a) Up to 0.10 Sqm. | 1 Sqm. | | |
| | (b) Above 0.10 Sqm. | 1 Sqm. | | |
| 94 | Khandolites (Up to 0.06 Sqm.) | 1 Sqm. | | |
| 95 | Granite Tiles | | | |
| | (a) Up to 0.10 Sqm. (10mm thick) | 1 Sqm. | | |
| | b) Above 0.10 Sqm | | | |
| | (i)Above 0.10 Sqm& up to 0.4 sqm (10mm. thick) | 1 Sqm. | | |
| | ii) Above 0.40 sqm. (20mm thick) | 1 Sqm. | | |
| 96 | Kodappa Tiles of 10 mm thick | | | |
| | (a) Above 0.1 Sqm& Up to 0.40 Sqm. | 1 Sqm. | | |
| | (b) Above 0.40 Sqm. | 1 Sqm. | | |
| 97 | Dholpuri Stone Tiles. | 1 Sqm. | | |
| 98 | Tiles up to- | | | |
| | (a) 20cmx30cm / 20cm x 20cm special plain /printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753 | 1 Sqm. | | |
| | (b) 30cm x 30cm / 40cm x 40cm special plain / printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755 | 1 Sqm. | | |
| | (c) Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B la) of following sizes. | | | |
| | (I) Vitrified Tile 600mmx600mm Plain (Ivory) | 1 Sqm. | | |
| | (II) Vitrified Tile 600mmx600mm Coloured / Printed series(Homogeneous) | 1 Sqm. | | |
| | (d) Vitrified industrial floor Tile of premium grade having thickness 8mm to 10mm confirming to IS 4457 of size 300mmx300mm | 1 Sqm. | | |
| 99 | Chequred Tiles. | 1 Sqm. | | |
| 100 | Terrazo Tiles. | | | |
| | (a) With grey cement. | 1 Sqm. | | |
| | (b) With white cement | 1 Sqm. | | |
| 101 | Red oxide Primer | 1 Litre | | |
| 102 | Wood Primer | 1 Litre | | |
| 103 | Wood Shine Paint | 1 Litre | | |
| 104 | Plastic Emulsion paint | 1 Litre | | |
| 105 | Enamel paint | 1 Litre | | |
| 106 | Distemper | 1 Kg. | | |
| 107 | Cement paint | 1 Kg. | | |
| 108 | Red oxide powder | 1 Kg. | | |
| 109 | French polish | 1 Litre | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|----------------|---|-------------|---|--|
| 110 | Varnish | 1 Litre | | |
| 111 | Plaster of paris | 1 Kg. | | |
| 112 | Coal Tar | 1 Kg. | | |
| 113 | G.C.I. Sheet | | | |
| | a) 0.30mm thick | 1 Sqm. | | |
| | b) 0.40mm thick | 1 Sqm. | | |
| 114 | A.C. Sheet | 1 Sqm. | | |
| 115 | A.C. ridges | 1 pair | | |
| 116 | 6mm. Thick Plain A.C. Sheet | 1 Sqm | | |
| 117 | Tar Paper | 1 Sqm | | |
| 118 | Putty (Wood) | 1 Kg. | | |
| 119 | Putty (Iron) | 1 Kg. | | |
| 120 | Wire Nails | 1 Kg. | | |
| 121 | M.S. Angle | 1 Qntl. | | |
| 122 | M.S. Channel | 1 Qntl. | | |
| 123 | Bolt, Nut & Washers | 1 Kg. | | |
| 124 | Holding down bolts minimum 60 Cm. long with 15Cm. x 15 Cm. x 6mm. size washer plate | 1 Kg. | | |
| 125 | Binding Wire. | 1 Kg. | | |
| 126 | Coir String | 1 Kg. | | |
| 127.a) | Empty Cement bags (HDPE) by lot & not shorted out | 100 nos | | |
| b) | Empty Cement gunny bags by lot & not shorted out | 100 nos | | |
| c) | Empty Bitumen Drum | Each | | |
| d) | Empty Bitumen Emulsion Drum | Each | | |
| 128 | Straw in Bundle | 100 nos | | |
| 129 | Marble Chips. | 1qntl | | |
| 130 | Marble Powder | 1qntl | | |
| 131 | Cement | | | |
| a) | 33 Grade | | | |
| b) | 43 Grade | 1qntl | | |
| c) | 53 Grade | | | |
| 132 | White Cement. | 1qntl | | |
| 133 | Steel | | | |
| | a) Mild Steel | 1qntl | | |
| | b) HYSD (FE-415) /(FE500) | 1qntl | | |
| 134 | "Z" type Steel Sheet Piles . | 1qntl | | |
| 135 | Bentonite powder | 1qntl | | |
| | Oxidized mild steel fittings (I.S.I.) | | | |
| 136 | Butt hinges (I.S.I.) | | | |
| a) | 50x37x1.50mm | Each | | |
| b) | 75x47x0.70mm | Each | | |
| c) | 100x58x1.90mm | Each | | |
| d) | 125x65x2.12mm | Each | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|----------------|---|-------------|---|--|
| 137 | M.S. aldrop (I.S.I.) | | | |
| a) | 250x16mm | Each | | |
| b) | 300x16mm | Each | | |
| 138 | M.S. handle (I.S.I.) | | | |
| a) | 100mm | Each | | |
| b) | 125mm | Each | | |
| c) | 150mm | Each | | |
| 139 | M.S. tower bolt (I.S.I.) | | | |
| a) | 100x10mm | Each | | |
| b) | 150x10mm | Each | | |
| c) | 200x10mm | Each | | |
| 140 | M/S. Screw (I.S.I.) | | | |
| a) | 12x3mm | 100 pcs | | |
| b) | 12x4mm | 100 pcs | | |
| c) | 20x4mm | 100 pcs | | |
| d) | 20x5mm | 100 pcs | | |
| e) | 25x4mm | 100 pcs | | |
| f) | 25x5mm | 100 pcs | | |
| g) | 30x4mm | 100 pcs | | |
| h) | 30x5mm | 100 pcs | | |
| i) | 30x6mm | 100 pcs | | |
| j) | 35x6mm | 100 pcs | | |
| k) | 35x7mm | 100 pcs | | |
| l) | 35x8mm | 100 pcs | | |
| m) | 50x7mm | 100 pcs | | |
| n) | 50x8mm | 100 pcs | | |
| 141 | Steel window stay bar (I.S.I.) | | | |
| a) | 200mm | Each | | |
| b) | 250mm | Each | | |
| c) | 300mm | Each | | |
| 142 | Steel window handle including Nut, bolt & washer (I.S.I.) | | | |
| a) | 100mm | Each | | |
| b) | 150mm | Each | | |
| 143 | Welded mesh | | | |
| a) | 25mmx25mmx11 gauge | Sqm | | |
| b) | 25mmx25mmx13 gauge | Sqm | | |
| c) | 50mmx25mmx11 gauge | Sqm | | |
| d) | 50mmx25mmx13 gauge | Sqm | | |
| 144 | G.I. "L" & "J" hook | Kg | | |
| 145 | W.I. clamp | Kg | | |
| | Aluminium fittings (I.S.I.) | | | |
| 146 | Butt hinges (I.S.I.) | | | |
| a) | 125mmx75mmx4mm | Each | | |
| b) | 125mmx63mmx4mm | Each | | |
| c) | 100mmx75mmx4mm | Each | | |
| d) | 100mmx63mmx4mm | Each | | |
| e) | 75mmx63mmx4mm | Each | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|----------------|--|-------------|---|--|
| f) | 50mmx35mmx3.2mm | Each | | |
| 147 | Aluminium handle (I.S.I.) | | | |
| a) | 150mm with 175mm x 40mm flat | Each | | |
| b) | 125mm with 175mm x 40mm flat | Each | | |
| c) | 100mm with 150mm x 33m flat | Each | | |
| d) | 75mm with 118mm x 33mm flat | Each | | |
| 148 | Aluminium tower bolt (Barrel type) (I.S.I.) | | | |
| a) | 300mm x10mm | Each | | |
| b) | 250mm 10mm | Each | | |
| c) | 200mm x 10mm | Each | | |
| d) | 150mm x 10mm | Each | | |
| e) | 100mm x 10mm | Each | | |
| 149 | Sliding door bolt (Aldrop) (I.S.I.) | | | |
| a) | 300mm x 16mm | Each | | |
| b) | 250mm x 16mm | Each | | |
| 150 | Brass fittings(I.S.I.) Butt hinges (light/Ordinary) (I.S.I.) | | | |
| a | 125mm x 70mm x 4mm | Each | | |
| b | 100mm x 70mm x 4mm | Each | | |
| c | 75mm x 40mm x 2.5mm | Each | | |
| d | 50mm x 40mm x 2.5mm | Each | | |
| 151 | Brass But hinges (Heavy type) (I.S.I.) | | | |
| a | 125mm x 85mm x 5.5mm (0.07 kg) | Each | | |
| b | 100mmx85mm5.5mm (0.056Kg) | Each | | |
| c | 75mmx65mmx4mm (.02 kg) | Each | | |
| 152 | Brass tower bolt (Barrel type) (I.S.I.) | | | |
| a | 250mm x 10-mm | Each | | |
| b | 200mm x 10mm | Each | | |
| c | 150mm x 10mm | Each | | |
| d | 100mm x 10mm | Each | | |
| 153 | Brass Screws (I.S.I.) | | | |
| a | 50mm | 100 Nos | | |
| b | 40mm | 100 Nos | | |
| c | 30mm | 100 Nos | | |
| d | 25mm | 100 Nos | | |
| e | 20mm | 100 Nos | | |
| 154 | Chromium plated fittings (Brass) (I.S.I.)Handle (I.S.I) | | | |
| a. | 125mm with 175 x 32mm plate | Each | | |
| b. | 100mm with 150 x 25mm plate | Each | | |
| c. | 75mm with 125 x 25mm plate | Each | | |
| 155 | Wall cement primer (I.S.I.) | | | |
| a) | Oil bound | 1 ltr | | |
| b) | Water bound | 1 ltr | | |
| 156 | Aluminium paint (I.S.I.) | 1 ltr | | |
| 157 | Weather Coat (I.S.I.) | 1 ltr | | |
| 158 | Adhesive (I.S.I.) | 1 Kg | | |
| 159 | Bitumenous expansion joint board (I.S.I.) | | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|----------------|--|-------------|---|--|
| a. | 12mm thick | Sqm | | |
| b. | 16mm thick | Sqm | | |
| c. | 25mm thick | Sqm | | |
| 160 | Barbed wire (I.S.I.) | Kg | | |
| 161 | Glass plain (I.S.I.) | | | |
| a | 3mm | Sqm | | |
| b | 4mm | Sqm | | |
| c | 5mm | Sqm | | |
| d | 6mm | Sqm | | |
| e | 8mm | Sqm | | |
| f | 10mm | Sqm | | |
| g | 12mm | Sqm | | |
| 162 | Glass pin headed (I.S.I.) | | | |
| a | 4mm | Sqm | | |
| b | 5mm | Sqm | | |
| 163 | Black glass (I.S.I.) | | | |
| a | 4mm | Sqm | | |
| b | 5mm | Sqm | | |
| c | 6mm | Sqm | | |
| d | 8mm | Sqm | | |
| e | 12mm | Sqm | | |
| 164 | Frosted glass (I.S.I.) | | | |
| a | 4mm | Sqm | | |
| b | 5mm | Sqm | | |
| 165 | Wire glass – 6 mm (I.S.I.) | Sqm | | |
| 166 | Sun-control film (I.S.I.) | | | |
| a. | Reflective | Sqm | | |
| b. | Non-reflective | Sqm | | |
| 167 | Prelaminated particle board (standard type) (I.S.I.) | | | |
| a. | 9mm | Sqm | | |
| b. | 12mm | Sqm | | |
| c. | 18mm | Sqm | | |
| d. | 25mm | Sqm | | |
| 168 | BWR ply wood (I.S.I.) | | | |
| a | 3mm | Sqm | | |
| b | 4mm | Sqm | | |
| c | 6mm | Sqm | | |
| d | 9mm | Sqm | | |
| e | 12mm | Sqm | | |
| f | 16mm | Sqm | | |
| g | 19mm | Sqm | | |
| h | 25mm | Sqm | | |
| 169 | BWR Block Board (I.S.I.) | | | |
| a | 16mm | Sqm | | |
| b | 19mm | Sqm | | |
| c | 25mm | Sqm | | |
| d | 32mm | Sqm | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|---------|--|------|--|--|
| 170 | Vinyl Flooring (I.S.I.) | | | |
| (A) | Homogeneous Range (I.S.I.) | | | |
| i) | PVC (MF) Classic roll- 1.00mm thick | Sqm | | |
| ii) | PVC (MF) classic tile- 1.00mm thick | Sqm | | |
| iii) | PVC (MF) impress roll-1.50mm thick | Sqm | | |
| iv) | PVC (MF) impress tile-1.50mm thick | Sqm | | |
| v) | PVC (MF) super roll-2.00mm thick | Sqm | | |
| vi) | PVC (MF) super tile -2.00mm thick | Sqm | | |
| (B) | Heterogeneous Range (I.S.I.) | | | |
| i) | PVC (MF) Hetro roll- 2.00mm thick | Sqm | | |
| ii) | PVC (MF) hetro tile- 2.00mm thick | Sqm | | |
| 171 | Aluminium extruded section | Kg | | |
| 172 | Roll formed sections made of pre-painted steel (base steel as per IS-513 of 0.6 mm thick "D" quality, galvanised as per IS-277 with zinc of 120 gm / sq. mtr) | | | |
| | a) Outer frames Po-527 | Mtr | | |
| | b) Intermediate mullion Po-528 | Mtr | | |
| | c) Shutter frame Po-153 | Mtr | | |
| | d) Fixed beeding Po-179 | Mtr | | |
| | e) Sliding shutter Po-254 | Mtr | | |
| | f) Outer frames(side / top) Po-255 | Mtr | | |
| | g) Outer frames(bottom) Po-256 | Mtr | | |
| | h) Sliding track (SS) Po-257 | Mtr | | |
| | i) Sashbar Po-101 | Mtr | | |
| | j) Sashbar at shutter Po-107 | Mtr | | |
| | k) Louvered horizontal (Top / bottom) Po-193 A | Mtr | | |
| | l) 33 x 57 Box Section | Mtr | | |
| | m)100x50mm Box Section | Mtr | | |
| | n)Small Z Section | Mtr | | |
| | o) Extended Z Section | Mtr | | |
| | p) Cover Profile | Mtr | | |
| | <u>Accessories</u> | | | |
| | a) sliding outer frame assembly / pc | Each | | |
| | b) sliding shutter /pc | Each | | |
| | c) Sashbar | Each | | |
| | d) wall fixing with polymide anchor at every 600mm c/c of outer frame | Each | | |
| | e) Outer frame corner | Each | | |
| | f) Top hung shutter / pc | Each | | |
| | g) Fixed mullion | Each | | |
| | h) Fixed glazing | Each | | |
| | i) Louvered blade | Each | | |
| | j) Side hung door / pc | Each | | |
| | k) Door lock / pc | Each | | |
| | l) Swing door shutter /pc | Each | | |
| | m) Floor Spring (Godrej Make) | Each | | |
| | <u>Gasket</u> | | | |

| Sl. No. | Name of items | Unit | Price excluding Royalty and GST in Rs. | |
|---------|--|-----------------|--|--|
| | a) For Shutter Po-153 | Mtr | | |
| | b) For beading Po-179 | Mtr | | |
| | c) For Sashbar Po-101 | Mtr | | |
| 173 | Rate of 60 micron powder coating (including labour charges and material for powder coating) for aluminium section. | Kg of Aluminium | | |
| 174 | 12.5 mm thick gypsum board of size 6' x 4' | One Piece | | |
| | New Item | | | |
| 175 | Waste Plastic duly cleaned and shredded conforming to the size passing 2.36mm sieve and retained on 600 micron seive and conforming to requirement if IRC:SP:98-2013. | Per Kg | | |
| 176 | Aerated Autoclaved Fly ash (AAC) blocks of different sizes having compressive strength not less than 4N/mm ² conforming to IS:2185 (Part-3)-2005 and IS:6441-1972 including all taxes, royalty and excluding conveyance | Each cum | | |


 Executive Engineer,
 Angul (R&B) Division, Angul
 17/11